

# HIGH QUALITY ARTIFICIAL TURF

High quality artificial turf supplier

---





**CONTENTS |**

<b>Introduction of company</b>	.....	<b>03</b>
<b>Advantages Of YIYI</b>	.....	<b>04</b>
<b>Advanced production system</b>	.....	<b>04</b>
<b>Complete material technology</b>	.....	<b>06</b>
<b>Perfect production process</b>	.....	<b>06</b>
<b>Complete products variety</b>	.....	<b>07</b>
<b>Standard Reference Site</b>	.....	<b>09</b>
<b>Application</b>	.....	<b>12</b>
<b>Success case</b>	.....	<b>15</b>
<b>Certifications</b>	.....	<b>17</b>



## ABOUT US

### Company profile

Ningbo Yiyi Network Technology Group Co., Ltd., as the overseas service center of Zhejiang Shiteng Technology Group Co., Ltd., is a digital supply chain supplier for 15 years, founded in 2009 and headquartered in Ningbo.

As a national high-tech enterprise, Shiteng Group is mainly engaged in the research and development, design, production, sales, construction and operation and maintenance of intelligent traffic safety, landscape lighting, garden sanitation, municipal pipeline network, pumps, valves and fittings, factory warehousing, heating, cooling and ventilation, artificial turf, suspended flooring, and construction machinery, providing one-stop solutions and services. Our supply chain system with strict management and all-round quality control process, and our products are guaranteed by standard certificates for overseas sales.

Currently, we cooperate with more than 5,000 manufacturing enterprises and serve nearly 200,000 enterprise customers. With 15 supply chain companies, more than 80 sales subsidiaries and product companies, and more than 1,000 service team members, our digital management capabilities and comprehensive service capabilities are at the forefront of the industry, and our revenue has exceeded 2 billion RMB for three consecutive years.

After 15 years of development, Shiteng Group has built an excellent team of R & D, technical, sales, production, quality inspection and logistics, we could provide professional and high-quality services from product design to project implementation.

We look forward to cooperating with you.



### TEAM INTRODUCTION |

As the first batch of supply chain innovation pilot enterprises in Zhejiang Province, the group has the first municipal transportation facilities industry Internet platform (GONGLAIGONGWANG), 15 supply chain companies, more than 70 local sales and service companies, more than 1,000 people in the localized service team, the digital management level and localized comprehensive service capabilities in the industry leader, its GONGLAIGONGWANG Technology Co. Ltd. and Shanxi Glaris Metal Technology Co., Ltd. is a national high-tech enterprise.

15+

**Supply chain**  
It has 15 supply chains

80+

**Service Company**  
More than 80 service companies

1000+

**Team**  
The team is over 1000 people

**01**



**LEAD THE  
WORLD**

- World Top Suppliers
- International Sports Leisure Ground Material Production Integration Service Provider
- Revolutionary Artificial Lawn Wire Drawing Production Line
- Top Artificial Lawn Tufting Production Line in the World
- World Top artificial lawn drying and coating production line

**02**



**STRENGTH  
GUARANTEE**

- Factory scale
- Many Turfing Machines
- Complete specifications, rich products, to meet 100% of customer needs
- With annual output of 10 million square meters of lawn production capacity
- Have the technology of styrene-butadiene glue coating

**SAFETY AND  
ENVIRONMENTAL  
PROTECTION**



**03**

- Sustained Development
- Approved the national environmental protection product quality inspection report conforms to the green environmental protection certification
- Compliance with quality management system certification and other requirements

**ENTERPRISE  
SPIRIT**




**04**

- Continuous innovation
- **Solidarity** : Motivation for Convergence and Growth
- **Innovation**: Power of Sustainable Development
- **Honesty and Credit** : the Fundamental of Our Survival
- **Win-win** : the value of our business
- **Idea** : Great achievements, harvest in the future.







### FACTORY INTRODUCTION |

Our factory has advanced R&D team to produce high-quality products suitable for the market. We have a 100 thousand square meter factory with 7 turf production lines, which provides 10 million lawn production capacity per year.







## PERFECT PRODUCTION PROCESS |



## MATERIAL TECHNOLOGY |

We adopt import and domestic procurement and production systems for raw materials, and have many years of independent wire and drawing experience. The R&D team is constantly designing various kinds of straw silk products to meet the needs of customers in different countries and regions; new varieties of straw silk are being introduced in shape, material and marking type; under the control of the technical team, the performance of various indicators is stable and constantly improving.



- We have 4 /5meters wide tufting equipment, expands the product line, and provides customers with greater choice space
- Seven imported tufting production lines with a maximum capacity of 20,000 square meters per day





Model :	YDC-16
Density :	10500 ± 5%
Color :	Emerald green + Fruit green
Dtex :	8800
Pile height :	50mm ± 2mm
Gauge :	5/8



Model :	YDC-05B
Density :	10500 ± 5%
Color :	Emerald green + Fruit green
Dtex :	8800
Pile height :	50mm ± 2mm
Gauge :	3/4



Model :	YDC-015
Density :	10500 ± 5%
Color :	Emerald green + Fruit green
Dtex :	10000
Pile height :	50mm ± 2mm
Gauge :	3/4



Model :	YDC-20
Density :	10500 ± 5%
Color :	Emerald green + Fruit green
Dtex :	12000
Pile height :	50mm ± 2mm
Gauge :	3/4



Model :	YDC-02D
Density :	10500 ± 5%
Color :	Emerald green + Fruit green
Dtex :	8800
Pile height :	50mm ± 2mm
Gauge :	3/4



Model :	YDC-20P
Density :	10500 ± 5%
Color :	Emerald green + Fruit green
Dtex :	13000
Pile height :	50mm ± 2mm
Gauge :	3/4



Model :	YDC-03P
Density :	10500 ± 5%
Color :	Emerald green + Fruit green
Dtex :	8800
Pile height :	50mm ± 2mm
Gauge :	3/4



Model :	YDC-18
Density :	10500 ± 5%
Color :	Emerald green + Fruit green
Dtex :	10000
Pile height :	50mm ± 2mm
Gauge :	3/4



Model :	YDC-16
Density :	10500 ± 5%
Color :	Emerald green + Fruit green
Dtex :	12000
Pile height :	50mm ± 2mm
Gauge :	3/4



Model :	MTC-01
Density :	31500
Color :	Emerald green + Fruit green
Dtex :	15000
Pile height :	30mm
Gauge :	3/8





Model :	XXC-11
Density :	16800
Color :	Colour mixture
Dtex :	10000
Pile height :	25mm ± 2mm
Gauge :	3/8



Model :	XXC-06S
Density :	18900
Color :	Emerald green + Fruit green
Dtex :	15000
Pile height :	50mm ± 2mm
Gauge :	3/8



Model :	XXC-04P
Density :	16800
Color :	Colour mixture
Dtex :	10000
Pile height :	30mm ± 2mm
Gauge :	3/8



Model :	XXC-07S
Density :	18900
Color :	Emerald green + Fruit green
Dtex :	13000
Pile height :	45mm ± 2mm
Gauge :	3/8



Model :	XXC-05U
Density :	16800
Color :	Colour mixture
Dtex :	10000
Pile height :	30mm ± 2mm
Gauge :	3/8



Model :	QGC-02
Density :	71400
Color :	Emerald green
Dtex :	4400
Pile height :	15mm
Gauge :	3/16



Model :	XXC-05S
Density :	16800
Color :	Colour mixture
Dtex :	10000
Pile height :	30mm ± 2mm
Gauge :	3/8



Model :	YRYC-01T
Density :	14700
Color :	Design
Dtex :	11000
Pile height :	25mm ± 2mm
Gauge :	3/8



Model :	XXC-06W
Density :	168000
Color :	Colour mixture
Dtex :	10000
Pile height :	30mm ± 2mm
Gauge :	3/8







Model :	Colour Track
Density :	15750
Color :	Red, Yellow, Blue, Purple
Dtex :	11000
Pile height :	25mm ± 2mm
Gauge :	3/8





## STANDARD REFERENCE SITE |

Type	Length(m)	Width(m)	Calculation Method	Area (m <sup>2</sup> )
5-a-side Football Field	40.0+(2.0 (buffer zone) *2)=44.0	20.0+(1.0 (buffer zone) *2)=22	Length x Width	968
7-a-side Football Field	65.0+(2.0 (buffer zone) *2)=69.0	45.0+(1.0 (buffer zone) *2)=47	Length x Width	3243
11-a-side Football Field	105.0+(2.0 (buffer zone) *2)=109.0	68.0+(2.0 (buffer zone) *2)=70	Length x Width	7630
Tennis Court	23.77+(6.4 (buffer zone) *2)=36.57	10.97+(3.65(buffer zone) *2)=18.27	Length x Width	668
Basketball Court	28.0+(2.0 (buffer zone) *2)=32.0	15.0+(2.0 (buffer zone) *2)=19.0	Length x Width	608
Volleyball Court	18.0+(9.0 (buffer zone) *2)=36.0	9.0+(6.0 (buffer zone) *2)=21	Length x Width	756
Badminton Court	Single: 13.4+(2.0 (buffer zone)*2)=17.4	5.18+(4.0 (buffer zone) *2)=13.18	Length x Width	282
	Double: 13.4+(2.0 (buffer zone)*2)=21.4	6.10+(4.0 (buffer zone) *2)=14.10		
Hockey Field	91.4+(2.0 (buffer zone) *2)=95.4	55.0+(1.0 (buffer zone) *2)=57.0	Length x Width	5437.8
Handball Court	40.0+(2.0 (buffer zone) *2)=44.0	20.0+(1.0 (buffer zone) *2)=22	Length x Width	968






Roll Code	Specification	Roll Code	Specification	Brand
A1-3 A22-24	4000*55000	A7-A18	4000*71000	
A4、A21	4000*63000	B1-B13	4000*71000	
A5、A20	4000*67000			
A6、A19	4000*69500	W1	4000*19000	Altitude 50mm
Actual Area	10092 m <sup>2</sup>	Strip	3120m 25cm	Glue







- Explanation :**
- 1.The width of the line on an 11-a-side football field is 120mm.
  - 2.The total length of the white lines on an 11-a-side football field is 720 meters (including all boundary lines).



**Sports lawn**

We have a variety of sports grass, such as single stem, double stem, single-sided arc, double-sided arc, U-shaped, V-shaped, C-shaped, S-shaped, diamond-shaped, olive-shaped, reticulate and so on. For new varieties, we hope to strive to do better. For different countries, different regions and different use areas, we have developed various representative products.



**Detailed Back View  
Drainage holes**

- **The artificial grass mat has water permeability**
- **The materials are hassle free with no maintenance required!**








### Recreational lawn

Our landscape grasses are of various colors and varieties, such as single stem, double stem, one-sided arc, double-sided arc, U-shaped, V-shaped, C-shaped, S-shaped, reticulate, straight and mixed type, etc. For new varieties, we hope to strive to do better. For different countries, different regions and different use areas, we have developed various representative products.

[www.yiyi industrial.com](http://www.yiyi industrial.com)

Ningbo Yiyi Network Technology Group Co., Ltd.



### Grass

100% virgin new polyethylene PE material : skin-friendly and soft.



### Basic Layer


PP base cloth, grass yarn is firm.



### Latex Backing

Environmentally friendly and harmless styrene butadiene rubber.

## PERFECT SERVICE / CUSTOME-MADE |



Site area measurement method

### About the service

We have pre-sale analysis, during sale consulting and after-sale tracking three steps. Pre-sale provides the most economical and most accurate construction purchasing advice. During sale pays attention to product quality and production efficiency, ensuring delivery time and quality, providing the seams, glue and other accessories for sale. After-sale technical support and construction guidance ensure the quality of the end products.



Utility knife



Brush



Glue

## CUSTOMIZED PROCESS |



## INSTALL |

Construction preparation, site acceptance basis, artificial grasspavement, line drawing work, sand dumping, colloidal particle injection, project closeout.



Equipping Items



Paving



Drawing line



Filled micelle



Complete






**Football Park**  
(five-a-side, seven-a-side)



**Guangzhou Polytechnic of Light Industry**  
(11-person system)



**Wanjiang Football Sports Park**  
(Four five-a-side)



**Julong Football Stadium**  
(seven-a-side)



**Guandu Park Football Stadium**  
(five-a-side)



**Liubao Town Center Kindergarten**  
(Three-a-side)



**Guangzhou No. 117 Middle School  
(seven-a-side)**



**Yingde Kowloon Primary  
(five-a-side)**



**Grand Cross Zhi Cheng  
(five-a-side)**



**Ninglang County Town Government  
(Five-member System)**



**Hakka Compound Football Pitch  
(Seven-a-side)**



**Defa Football club  
(seven-a-side)**



